

Acta Chiropterologica, 8(2): 578–585, 2006

PL ISSN 1508-1109 © Museum and Institute of Zoology PAS

INDEX TO VOLUME 8

SPECIES AND SUBSPECIES

Abies sachalinensis, 264

Abrus precatorius africanus, 133

Acacia macracantha, 562

Acerodon sp., 2

Achras sapota, 239

Acrostichum aureum, 134

Aesculus turbinata, 264

Aldinia heterophylla, 105

Amanoa oblongifolia, 106

Ametrida centurio, 115

Annona squamosa, 240

Anoura:

caudifer, 561

geoffroyi, 561

Anourosorex:

squamipes, 18

- yamashinai*, 18
Antrozous pallidus, 388, 494
Arielulus sp., 341
 aureocollaris, 18, 330
 circumdatus, 330
 torquatus, 18
Artibeus sp., 105
 anderseni, 105
 aztecus, 105
 cinereus, 105
 concolor, 119
 glaucus, 105
 gnomus, 105
 incomitatus, 105
 jamaicensis, 105, 275, 485, 506
 lituratus, 231
 obscurus, 119
 phaeotis, 105
 planirostris, 105
 watsoni, 105, 557
Arundo donax, 158
Aselliscus stoliczkanus, 329
Asio madagascariensis, 555
Asplundia moritziana, 561
Asystasia sp., 136
Atalantia monophylla, 272
Balionycteris maculata, 326, 557
Barbastella barbastellus, 280, 524
Basilia sp., 273
Bassia latifolia, 239, 248
Bauhinia sp., 248
Betula platyphylla, 264
Bismarckia nobilis, 21
Borassus flabellifer, 270
Brachyphylla sp., 497
 cavernarum, 275, 497
 nana, 506
Burdacia prismatocapra, 106
Calophyllum inophyllum, 138, 240
Carica sp., 248
Carollia sp., 113
 brevicauda, 561
 perspicillata, 113
Caryocar sp., 113
 glabrum, 113
Casearia nigricolor, 561
Cassia fistula, 240
Cecropia sp., 561
Ceiba pentandra, 240, 248
Centronycteris maximilliani, 119
Cephalandra indica, 272
Cereus atroviridis, 251
Cestrum sp., 561
Chaerephon sp., 439
 leucogaster, 439
 plicata, 333
 pumilus, 429, 439
Chamaesorea poeppigiana, 561
Cheiromeles torquatus, 333
Chilonatalus sp., 361
 micropus, 361
 tumidifrons, 361
Chironax melanocephalus, 326
Chodsigoa sp., 18
Chrotopterus auritus, 119
Chrysopteron sp., 346
Chusquea scandens, 561
Cinnamomum verum, 133
Citrus sp., 272
Clusia sp., 561
Coccinia indica, 240
Cocos nucifera, 131
Coelops:
 frithi, 329
 robinsoni, 329
Coleura:
 afra, 136, 492
 seychellensis, 129
 silhouettae, 130
Cormura sp., 117
Corynorhinus:
 townsendii, 148
 t. virginianus, 151
Craseonycteris thonglongyai, 327
Crescentia cujete, 251
Crypsithyroides concolorella, 131
Cuphea balsamina, 106
Cycas sp., 419
Cyclosa conica, 447
Cynopterus:
 angulatus, 338
 brachyotis, 326, 342, 251, 557
 harpax, 326
 horsfieldi, 326
 sphinx, 239, 247, 269, 326, 417, 557
Cyperus sp., 106
Cyrrilla racemosa, 105
Dalbergia sp., 430
Dermanura sp., 105
Desmodus sp., 257
 rotundus, 486
Diaemus sp., 257
 youngi, 255
Dicerorhinus sumatrensis, 343
Dimorphandra vernicosa, 105
Diphylla sp., 257
 ecaudata, 255
Dobsonia magna, 573
Dyacopteris spadiceus, 326
Dysopes cheiropus, 333

- Ectobius lapponicus*, 447
Ectophylla sp., 105, 557
 alba, 557
Emballonura sp., 321
 alecto, 537
 atrata, 429
 monticola, 321, 327, 539
 peninsularis, 327
Eonycteris spelaea, 326, 505
Eperua sp., 113
 duckeana, 113
Eptesicus sp., 281, 299
 boscai, 287
 bottae, 281
 b. anatolicus, 285
 capensis, 313
 demissus, 330
 dimissus, 330
 fuscus, 222, 224, 275
 isabellinus, 287
 matroka, 300
 nilssonii, 224, 281
 pachyotis, 330
 serotinus, 213, 279, 330, 389
 somalicus, 300
 s. malagasyensis, 300
 tatei, 336
Eriotheca discolor, 562
Erophylla sezekorni, 275, 506
Eschweilera tenuifolia, 106
Eucalyptus sp., 429, 440
Eudiscopus denticulus, 330
Eurylaimus sp., 90
Ficus spp., 240, 419, 561
 bengalensis, 239
 benjamina, 240
 capensis, 552
 religiosa, 239
 sur, 549
Gallus gallus, 257
Glischropus tylopus, 331
Glossophaga soricina, 251
Gongylolepis martiana, 105
Harpiocephalus sp., 11
 cyclotis, 331
 harpia, 331
 mordax, 331
Harpiola sp., 11
 grisea, 11
Heliconia sp., 106, 557
 imbricata, 557
 pogonantha, 557
Helicoverpa armigera, 443
Hesperoptenus:
 blanfordi, 331
 tickelli, 331
 tomesi, 325
Hipposideros sp., 39, 67, 330
 armiger, 329
 ater, 42, 330
 a. gilberti, 67
 bicolor, 39, 67, 330
 cervinus, 42
 cineraceus, 53, 330
 commersoni, 554
 diadema, 42, 330
 fulvus, 330
 galeritus, 39, 42, 330
 gentilis sinensis, 330
 halophyllus, 42, 330
 khaokhouayensis, 44
 larvatus, 330
 lekaguli, 330
 lylei, 330
 nequam, 42
 orbiculus, 39, 344
 pendleburyi, 330
 pomona, 53, 330
 p. atrox, 330
 pratti, 336
 ridleyi, 39, 325
 rotalis, 39
 turpis, 330
 t. pendleburyi, 341
Humiria sp., 105
Hypsugo sp., 299
 anchietae, 299
 cadornae, 286
 savii, 279
Ia io, 331
Ishnosiphon sp., 106
Isotus sp., 452
Jasminum fluminense, 133
Kalopanax pictus, 264
Kerivoula sp., 84, 350
 bicolor, 331
 hardwickii, 331
 jagorii, 87
 kachinensis, 83
 minuta, 331
 papillosa, 91, 331
 pellucida, 325
 picta, 331
 whiteheadi, 331
Lasiurus sp., 477
 borealis, 259, 275, 477
Leptopterus chabert, 555
Leucoonoë sp., 157, 452
 adversus, 331
Ligularia dentata, 267

- Lonchophylla thomasi*, 113, 114
Lophostoma sp., 105
 brasiliense, 105
 carrikeri, 105
 evotis, 105
 schulzi, 105
 silvicolum, 105
Lyroderma sinensis, 328
Macroglossus:
 minimus, 326
 m. minimus, 326
 m. sobrinus, 326
Macrolobium:
 acaciifolium, 106
 canaliculatum, 105
Macrophyllum sp., 118
 macrophyllum, 119
Macrotus californicus, 505
Magnolia obovata, 264
Mangifera indica, 239
Mauritia sp., 104
Megaderma:
 lyra, 328
 spasma, 328
 s. minus, 338
Megaerops:
 ecaudatus, 326
 niphanae, 326
Mesophylla sp., 105
 macconnelli, 105
Microcebus sp., 554
 murinus, 555
Micronycteris sp., 117
Mimusops elengi, 240
Miniopterus sp., 435
 australis, 331
 a. pusillus, 331
 gleni, 434
 goudoti, 432
 haradai, 331
 macrodens, 331
 magnater, 331
 majori, 429
 manavi, 429
 medius, 331
 pusillus, 331
 schreibersii, 159, 285, 331, 525, 538
Mirafra hova, 555
Molossops:
 bondae, 275
 mops, 351
 neglectus, 103, 115
Molossus:
 ater, 442
 fortis, 505
Monophyllus redmani, 275, 506
Montrichardia sp., 104
Mops sp., 439
 leucostigma, 429, 439
 midas, 554
 mops, 325
Mormoops blainvillii, 275
Mormopterus sp., 439
 jugularis, 429, 439, 554
Muntingia calabura, 239
Murina sp., 11, 263, 349
 adversus, 332
 a. continentis, 332
 aenea, 12, 325
 aurata, 12, 331
 cyclotis, 89, 331
 c. cyclotis, 12
 c. peninsularis, 12
 deignani, 332
 florium, 12, 266
 hermani, 332
 hilgendorfi, 12
 horsfieldii, 332
 huttoni, 12, 331
 leucogaster, 331
 l. rubex, 12
 muricola, 332
 mystacinus, 332
 m. muricola, 332
 ognevi, 12
 puta, 12
 rosseti, 332
 rozendaali, 12
 sibirica, 12
 siligorensis, 332
 silvatica, 12
 suilla, 12, 325
 sylvaticus, 263
 toxopei, 331
 tubinaris, 12, 86, 331
 ussuriensis, 12, 263
Mus musculus, 554
Musa sp., 106, 248
 paradisiaca, 248
Musca sp., 445
Myotis sp., 56, 95, 157, 170, 209, 224, 288, 339, 388,
 435, 451
 adversus, 163
 a. continentis, 338
 alcatheae, 278
 altarium, 331
 amurensis, 452
 annectans, 331
 ater, 331
 bechsteinii, 188, 280, 454, 493

- b. ancilla*, 454
b. blythii, 454
blythii, 100, 159, 280
b. oxygnathus, 100
boccegei, 492
bombinus, 451
b. amurensis, 454
brandtii, 96, 454
b. gracilis, 95
capaccinii, 157, 280, 459, 403, 525
chinensis, 331
dasycneme, 165, 388, 403, 459, 529
daubentonii, 163, 169, 188, 280, 403, 452, 509, 529
deignani, 338
emarginata, 159
emarginatus, 143, 188, 280, 445, 453, 336, 525
escalerai, 286
formosus, 345
goudoti, 429
grisescens, 262, 494
hasseltii, 331
hermani, 325
horsfieldii, 338
ikonnikovi, 95
i. ikonnikovi, 96
i. yesoensis, 96
lucifugus, 151, 194, 231, 404, 494, 510
macropus, 165
moluccarum, 164
montivagus, 336
muricola, 336
myotis, 159, 188, 225, 280, 336, 412, 454, 531, 538, 566
mystacinus, 95, 280, 454, 529
m. gracilis, 96
m. muricola, 336
nattereri, 159, 188, 209, 279, 388, 451, 529
n. araxenus, 452
n. tschuliensis, 451
punicus, 278, 454
pequinius, 451
riparius, 114
schaubi, 280, 451
s. araxenus, 461
septentrionalis, 194
siligorensis, 339
s. thaianus, 338
sodalis, 259
thysanodes, 452, 494
velifer, 404
watasei, 346
yesoensis, 96
Myzopoda aurita, 433
Natalus sp., 361
dominicensis, 362
espiritasantensis, 363
jamaicensis, 361
lanatus, 361, 372
major, 361
m. jamaicensis, 380
mexicanus, 366
m. saturatus, 380
primus, 361
stramineus, 361
s. mexicanus, 362
s. natalensis, 362
s. saturatus, 362
s. stramineus, 362
s. tronchonii, 367
tumidirostris, 361
t. haymani, 380
Neoromicia sp., 299, 429
capensis, 313
flavescens, 316
malagasyensis, 299
matroka, 299, 429
melckorum, 299, 429
nanus, 299
somalicus, 300
s. malagasyensis, 300
Nephrolepis biserrata, 131, 136
Nephrosperma vanhouetteana, 133
Noctilio sp., 118
albiventris, 114, 163
leporinus, 119, 492
Nyctalus sp., 285, 347
lasiopterus, 280
leisleri, 280, 388
noctula, 280, 336, 486, 529, 569
Nycteris sp., 336
javanica, 328
tragata, 328
Nycticeius humeralis, 494
Nyctiellus sp., 361
lepidus, 361
Nyctinomus plicatus, 333
Nyctophilus geoffroyi, 150
Ocotea sp., 114
Oreopanax sp., 561
Pachnoda sinuata, 549
Pachyotis:
kuhli, 332
temminckii, 332
Pandanus sp., 138
Parkia sp., 248
biglobosa, 251
Parkinsonia praecox, 562
Paspalum sp., 106
Passiflora sp., 251

- foetida*, 133
Phenakospermum sp., 106
Phodotes tumidirostris continentis, 380
Phoenix dactylifera, 549
Phonicus:
 atrox, 332
 jagorii, 332
Phoniscus sp., 83, 84
 aerosa, 84
 agnella, 84
 atrox, 83
 jagorii, 83
 j. jagorii, 87
 j. javanus, 87
 javanus, 84
 myrella, 84
 papuensis, 84
 rapax, 84
Phyllanthus rupestris, 106
Phyllonycteris poeyi, 506
Phyllorhina:
 bicolor, var. *fulva*, 330
 diadema, 330
 larvata, 330
Phyllostomus:
 discolor, 114
 hastatus, 491
 latifolius, 119
Picea glehnii, 264
Piper sp., 113
Pipistrellus sp., 169, 288, 299, 347, 399
 abramus, 300, 332
 africanus, 300
 anchietae, 319
 auritus, 222
 cadornae, 332
 capensis, 313
 coromandra, 332
 endoi, 300
 hesperidus, 299, 505
 hesperus, 388
 imbricatus, 336
 javanicus, 309, 332
 kuhlii, 279, 299, 398, 543
 mimus, 332
 nanus, 398
 nathusii, 280, 531
 paterculus, 300, 336
 pipistrellus, 150, 169, 223, 280, 381, 391, 529, 537, 544
 pulveratus, 332
 pygmaeus, 169, 278, 381, 392
 raceyi, 301
 rueppellii, 305
 stenopterus, 325
 subflavus, 231, 505
 tenuis, 332
Platyrrhinus:
 ismaeli, 561
 nigellus, 561
Plecotus sp., 288, 465
 alpinus, 465
 auritus, 100, 170, 279, 465, 494, 529
 a. auritus, 287
 a. begognae, 287
 austriacus, 100, 280, 465
 kolombatovici, 278, 465
 macrobullaris, 278, 465
 nathusii, 530
 pygmaeus, 278
 sardus, 278, 465
Polyalthia:
 longifolia, 240
 pendula, 240
Pouteria elegans, 106
Pradosia schomburgkiana, 105
Prestoea acuminata, 561
Promops centralis, 103
Prosopis juliflora, 562
Psidium guajava, 239, 241
Pteronotus:
 parnelli, 56, 275
 quadridens, 275
Pteropus sp., 1, 236, 321, 573
 alecto, 236, 573
 conspicillatus, 573
 edulis, 326
 edwardsi, 327
 giganteus, 240, 251
 intermedius, 327
 hypomelanus, 326
 lylei, 327
 medius, 327
 pearsoni, 339
 poliocephalus, 236, 251, 573
 scapulatus, 573
 vampyrus, 327
 v. intermedius, 327
 yunanensis, 339
Pueraria:
 lobata, 267
 phaesoloides, 133
Quercus crispula, 264
Rattus rattus, 553
Rhinolophus sp., 57, 83, 285, 335, 523
 acuminatus, 83, 328
 affinis, 328
 blasii, 532
 borneensis, 329
 coelophyllus, 86, 328

- c. shameli*, 329
euryle, 141, 159, 280, 523
ferrumequinum, 148, 194, 197, 224, 280, 494, 523
hipposideros, 149, 188, 209, 280, 388, 524, 566
lepidus, 328
luctus, 328
macrotis, 83, 328
m. siamensis, 329
malayanus, 328
marshalli, 329
megaphyllus, 329, 530
m. thaianus, 329
mehelyi, 151, 159, 280, 523
minor, 329
minutillus, 329
monoceros, 67
morio, 328
paradoxolophus, 329
pearsonii, 329
phillipinensis, 537
pumilus, 67
pusillus, 83, 329
p. lakkhanae, 338
refulgens, 328
robinsoni, 329
r. siamensis, 329, 338
rouxi, 83, 336
shameli, 83, 329
siamensis, 83, 329
sinicus, 83, 336
stheno, 329
subbadius, 83
thomasi, 329
trifoliatus, 329
yunanensis, 83, 329
Rhinonictis aurantia, 63
Rhinopoma:
hardwicki, 327
microphyllum, 327
Rhynchonycteris sp., 117
naso, 119
Rousettus sp., 435, 549, 553
aegyptiacus, 549
amplexicaudatus, 327
leschenaulti, 240, 251, 327, 417
madagascariensis, 429, 554
Saccopteryx gymnura, 103
Sasa:
kurilensis, 264
senanensis, 264
Schinus molle, 562
Scotoecus sp., 306
hindei, 306
Scotomanes ornatus, 332
Scotophilus sp., 21
belangeri, 332
borbonicus, 22
castaneus, 332
castenus, 332
dinganii, 538
gairdneri, 335
heathi, 33, 332
kuhlii, 22, 332, 557
leucogaster, 22
marovaza, 23
robustus, 22
solutatus watkinsi, 332
tandrefana, 22
temminicki, 332
viridis, 22
Selysius sp., 95, 452
Soriculus sp., 18
Speiseria peytonae, 233
Sphaeradenia steyermarkii, 561
Sphaerias blanfordi, 327
Spodoptera littoralis, 443
Stenoderma rufum, 275
Stomoxys calcitrans, 445
Streptopelia decaocto, 547
Sturnira sp., 561
aratathomasi, 561
bidens, 561
erythromos, 561
magna, 561
Suncus:
madagascariensis, 555
murinus, 554
Swartzia polyphyla, 106
Syconycteris australis, 266
Symphonia sp., 430
Tabebuia pallida, 133
Tadarida:
brasiliensis, 262, 275, 441, 494, 505
latouchei, 333
plicata, 339, 442
teniotis, 280, 336, 442
Tamias striatus, 517
Tambourissa sp., 430
Tenebrio molitor, 512
Taphozous:
crassus, 327
georgianus, 69
leucopleurus albipinnis, 327
longimanus, 327
mauritanus, 554
melanopogon, 327
m. fretensis, 338
saccolaimus, 327
theobaldi, 328

- Tapirus indicus*, 343
Tenebrio molitor, 478
Terminalia sp., 248
 catappa, 138, 240
Thainycteris aureocollaris, 330
Tilia maximowicziana, 264
Tonatia:
 bidens, 114
 saurophila, 119
Trachops cirrhosus, 119
Tylonycteris pachypus, 332
 fulvidus, 332
 robustula, 333
 rubidus, 332
Tyto sp., 555
 alba, 217, 553
 soumagnei, 555
Uroderma sp., 118
Vampyressa sp., 105
 melissa, 105
 nymphaea, 105
 pusilla, 105
 thyone, 105
Vampyriscus sp., 105
 bidens, 105
 brocki, 103
Vampyrodes carracioli, 266
Vernonia scandens, 269
Veronia sp., 430
Vespertilio sp., 1
 adversus, 331
 emarginatus, 336
 hasselti, 331
 hesperida, 317
 jagorii, 87
 matroka, 299
 muricola, 332
 nanus, 299
 pellucidus, 350
 suillus, 348
Vesperugo:
 anchietae, 319
 atratus, 336
 kuhlii, 546, 549
 nathusii, 546
 pachypus, 332
 stenopterus, 346
 tylopus, 331
Vismia sp., 113
Vitis sp., 248
 coignetiae, 264
 vinifera, 239
Volemys sp., 18
Washingtonia sp., 232
Weinmannia sp., 430