

SPECIES AND SUBSPECIES

Abagrotis alternata, 454

Abies alba, 364

Acacia sp., 416

macracantha, 412

Acalypha diversifolia, 221

Acer:

campestre, 364

pseudoplatanus, 364

Acronicta sp., 454

americana, 454

lobeliae, 454

Agrotis sp., 454

ipsilon, 454

Aiphanes sp., 409

Allotria elonympha, 454

Amorphochilus schnablii, 410

- Amphipyra pyramidoides*, 454
Andira inermis, 209
Anoura caudifer, 254, 402
Anticlea multiferata, 454
Antrozous pallidus, 440
Apantesis sp., 454
Ardops sp., 204
 nichollsi, 97, 431
 n. montserratensis, 101
Argyrogrammia basigera, 454
Ariteus sp., 204
 jamaicensis, 203
Artibeus sp., 223, 257
 fimbriatus, 251
 fraterculus, 410
 jamaicensis, 97, 222, 410, 431, 470
 j. jamaicensis, 102
 lituratus, 222, 254, 402
 obscurus, 251
Astrocaryum mexicanum, 221
Automeris io, 455
Balionycteris maculata, 71
Banara arguta, 537
Barbastella sp., 456
 barbastellus, 175, 286
Bauhinia unguolata, 537
Bison bison, 464
Blepharomastix ranalis, 455
Bougainvillea peruviana, 411
Brachyphylla sp., 100, 204
 cavernarum, 97, 431
 c. cavernarum, 100
 nana, 207
Brachyteles hypoxanthus, 252
Brosimum sp., 535
Bursera graveolens, 412
Callopietria cordata, 454
Calophyllum antillanum, 205
Canis lupus, 274
Cardioderma cor, 437
Carollia sp., 223
 benkeithi, 410
 brevicauda, 480
 manu, 410
 perspicillata, 223, 251, 402, 410, 480
 sowelli, 222
 subrufa, 477
Carya sp., 306
Catocala sp., 454
 ilia, 454
Cavanillesia platanifolia, 410
Cecropia sp., 251, 409
 glaziovii, 255
 hololeuca, 255
 obtusifolia, 221
 pachystachya, 255, 537
 schreberiana, 210
Ceiba sp., 535
 trichistandra, 411
Centurio senex, 223
Cervus elaphus, 464
Chaerephon sp., 392
 pumila, 28
 pumilus, 391
Chalinolobus tuberculatus, 156
Chiroderma sp., 432
 improvisum, 108, 423
 salvini, 223, 409
 villosum, 223
Chironax melanocephalus, 71
Choeroniscus minor, 254, 410
Chrotopterus auritus, 223, 402, 409
Chrysophyllum oliviforme, 210
Clyomys sp., 405
Coleura seychellensis, 398
Collocalia
 fuciphagus, 92
 maximus, 92
Conostegia xalapensis, 210
Cordia lutea, 412
Cornus drummondii, 184
Corynorhinus sp., 451
 rafinesquii, 452
 townsendii, 451
 t. ingens, 451
 t. townsendii, 457
 t. virginianus, 456
Croton flavens, 98
Cryptoprocta sp., 62
Ctenomys kraglievichi, 403
Cyathea:
 aborea, 98
 antillana, 98
Cynopterus sp., 72
 brachyotis, 73
 horsfieldii, 72
 minutus, 73
Darapsa myron, 455
Datana sp., 455
 angusii, 455
Daubentonia sp., 62
Deidamia inscripta, 458
Dermanura:
 phaeotis, 222
 tolteca, 223
 watsoni, 223
Desmodus sp., 261, 314
 rotundus, 223, 254, 261, 314, 410, 440
Diaemus youngii, 317, 409
Dialium guianense, 221

- Dichordia iridaria*, 454
Diphylla sp., 314
 ecaudata, 254, 314
Ecpantheria scribonia, 454
Eidolon sp., 39
 dupreanum, 43
 helvum, 43
Elaphurus davidianus, 464
Emballonura sp., 72
 alecto, 72
 monticola, 77
Enchisthenes hartii, 409
Eonycteris:
 major, 76
 spelaea, 74
Epimecis hortaria, 454
Eptesicus sp., 542
 andinus, 417
 brasiliensis, 417
 chiriquinus, 409
 diminutus, 254
 fuscus, 149, 184, 193, 218, 305, 524, 542
 guadeloupensis, 108
 inoxius, 419
 nilssonii, 383, 503
 serotinus, 175, 283, 383, 503
Erophylla sp., 204
 sezekorni, 207
Eucalyptus sp., 172
Euchlaena sp., 454
 pectinaria, 454
Euparthenos nubilus, 454
Eupsilia, 454
Euterpe globosa, 98
Fagus sylvatica, 364
Ficus sp., 209, 255, 409, 537
 guaranitica, 537
 jacobii, 410
 pertusa, 537
Glossophaga sp., 479
 commissarisi, 479
 longirostris, 479
 soricina, 222, 254, 402, 410, 477
Guazuma ulmifolia, 209, 410
Guttiferae sp., 255
Halysidota tessellaris, 454
Hamelia patens, 221
Heliocarpus mexicanus, 221
Heliothis zea, 454
Heterocephalus glaber, 464
Hibiscus sp., 210
 rosasinensis, 210
Hipposideros sp., 13, 39, 70
 ater, 24, 74, 77
 batchianus, 22
 besaoka, 46
 bicolor, 24, 67
 boeadii, 14
 brachyotus, 20
 celebensis, 22
 cervinus, 16, 22, 72
 c. cervinus, 22
 c. labuanensis, 22
 cineraceus, 72
 commersoni, 45
 corynophyllus, 22
 crumeniferus, 23
 cyclops, 22
 diadema, 24, 72
 dycorum, 72
 edwardshilli, 22
 galeritus, 17, 72
 insolens, 20
 khaokhouayensis, 13
 khasiana, 13
 labuanensis, 22
 larvatus, 23, 67
 l. grandis, 83
 longicaudus, 20
 misorensis, 22
 muscinus, 22
 papua, 13
 schneidersi, 22
 semoni, 22
 speoris, 23
 stenotis, 23
 tenotis, 22
 wollastoni, 22
Hydria prunivorata, 454
Hylonycteris underwoodi, 223
Hymenaea stigonocarpa, 537
Hypagyrtis unipunctata, 454
Hypoctenes sp., 397
 hutsoni, 397
Hypsoropha monilis, 454
Hypsugo savii, 350
Kerivoula sp., 1, 90, 323, 339
 agnella, 331
 bicolor, 8, 331
 bombifrons, 331
 crypta, 329
 depressa, 11, 330
 engana, 6, 330
 flora, 8, 323
 fusca, 330
 hardwickii, 2, 24, 75, 90, 323, 339
 intermedia, 1, 90, 331
 kachinensis, 1, 323, 339
 krauensis, 3
 lenis, 1, 90, 329, 339, 343

- malpasi*, 330
minuta, 8, 67, 331
muscina, 331
myrella, 331
papillosa, 1, 75, 324
pellucida, 8, 75, 331, 339
picta, 8
pusilla, 331
titania, 326
whiteheadi, 2, 331
w. whiteheadi, 8
Lacinipolia renigera, 454
Lamproncyteris brachyotis, 223
Lantana trifolia, 210
Laothoe juglandis, 455
Lasionycteris:
borealis, 185
cinereus, 185
noctivagans, 184, 305
Lasiurus:
borealis, 305, 479
cinereus, 35, 543
ega, 410
pfeifferi, 218
Lavia frons, 437
Leucania sp., 454
Lissotriton boscai, 383
Lochmaeus:
bilineata, 455
manteo, 455
Lonchophylla:
hesperia, 410
pattoni, 410
Lonchorhina aurita, 223
Lophostoma:
brasiliense, 223
evotis, 223
Loxopterygium huasango, 412
Lyssavirus sp., 321
Macaca fuscata, 464
Maclura sp., 537
tinctoria, 537
Macroderma:
gigas, 156, 437
spasma, 440
Macrophyllum macrophyllum, 402
Macropus eugenii, 464
Macrotus waterhousii, 108, 212
Malacosoma americanum, 454
Matayba apetala, 205
Megaderma:
lyra, 437
spasma, 72, 437
s. trifolium, 83
Micronycteris sp., 402
megalotis, 410
microtis, 223
minuta, 409
schmidtorum, 223
Mimon sp., 223
cozumelae, 223
crenulatum, 223, 254, 409
Mimosa pellita, 411
Miniopterus sp., 27, 62, 72, 87
africanus, 28
australis, 71
fraterculus, 28
gleni, 61
griveaudi, 28
inflatus, 28
magnater, 72, 75
manavi, 28, 61
m. griveaudi, 29
m. manavi, 29
midas, 45
m. miarensis, 55
minor, 27, 28
m. minor, 29
m. occidentalis, 29
natalensis, 28, 30
newtoni, 28
occidentalis, 28
oriana, 30
schreibersii, 27, 30, 87, 173, 286, 319, 350
Molossus:
ater, 161, 440
molossus, 97, 218, 410
m. molossus, 102
Monomorium sp., 312
Monophyllus sp., 204
plethodon, 97, 431
p. frater, 100
p. luciae, 100
redmani, 203
Mormoops:
blainvillii, 108, 217
waterhousii, 108
Mormoops megalophylla, 492
Morus sp., 535
Muntingia calabura, 210
Murina sp., 89
florium, 24
leucogaster, 286
rozendaali, 67
suilla, 75, 89
Musa sp., 76, 205
Muntingia calabura, 411
Myotis sp., 39, 88, 122, 134, 174, 254, 287, 356, 365, 380, 495, 503
alacensis, 136

- albescens*, 410, 496
alcatheae, 361, 380
aurascens, 362
austroriparius, 262
bechsteinii, 175, 381 504, 524
blythii, 175, 286
brandtii, 362, 505
b. gracilis, 380
capaccinii, 319
carissima, 136
dasycneme, 283, 512, 529
daubentonii, 175, 283, 380, 504
d. daubentonii, 379
d. nathalinae, 379
dominicensis, 108
emarginatus, 175, 365, 527
goudoti, 60
g. anjouanensis, 60
g. goudoti, 60
grisescens, 262, 495
horsfieldii, 67
latirostris, 381
leibii, 542
lucifugus, 133, 184, 305, 472, 495, 542
montivagus, 67
muricola, 75
myotis, 115, 175, 285, 321, 350, 383, 505, 529, 538
mystacinus, 286, 362, 505
m. bulgaricus, 363
nattereri, 175, 286, 504
nigricans, 254, 496
oxygnathus, 383, 527
petax, 380, 538
riparius, 409
saturatus, 136
septentrionalis, 305, 542
sicarus, 381
sociabilis, 136
sodalis, 127, 495
septentrionalis, 495
yumanensis, 133
Myrcia citrifolia, 98
Myzopoda sp., 311
aurita, 311
schliemanni, 311
Nadata gibbosa, 455
Natalus sp., 105, 480
stramineus, 97, 431, 477
s. dominicensis, 105
s. stramineus, 102
Nirece bidentata, 455
Noctilio sp., 401, 535
albiventris, 401, 440, 535
lacrimaelunaris, 401
leporinus, 98, 401, 409, 431, 535
Nyctalus:
azoreum, 35, 350, 383
lasiopterus, 175
leisleri, 175, 383
noctula, 285, 319, 538
Nycteris sp., 84
javanica, 84
tragata, 83
Nycticeius humeralis, 184, 305
Nyctinomops laticaudatus, 254
Nyctinomus pusillus, 392
Ochroma pyramidale, 210
Odocoileus virgianus, 464
Olea europea, 172
Orthodes cynica, 454
Oryx gazella, 464
Otomops sp., 62, 445
madagascariensis, 61, 445
martienseni, 445
Ovis canadensis, 464
Oxandra lanceolata, 205
Paectes pygmaea, 454
Panopoda:
carneicosta, 454
rufimargo, 454
Panthea furcilla, 454
Pantographa limata, 455
Parthenocissus quinquefolia, 184
Patalene olyzonaria, 454
Peromyscus californicus, 464
Phoniscus:
atrox, 8, 92
jagorii, 24
Phyllonycteris sp., 204
major, 108
poeyi, 203
Phyllops sp., 204
falcatus, 207
Phyllostomus:
discolor, 223, 254, 410
hastatus, 161, 410
Picea abies, 364
Pinus sp., 306
mugo, 364
pinaster, 172
pinea, 172
Piper sp., 84, 212, 251
aduncum, 210, 255
amalago, 255
crassinervium, 255
dilatatum, 103
hispidum, 221
Pipistrellus sp., 67, 277
auritus, 504

- deserti*, 383
kuhlii, 175, 280, 383
maderensis, 357
nathusii, 280, 285, 319, 350, 505, 538
pipistrellus, 134, 156, 277, 285, 503, 517
pygmaeus, 134, 173, 277, 380, 517
subflavus, 305, 542
Platanus sp., 365
 orientalis, 362
Platyrrhinus sp., 258
 albericoi, 410
 helleri, 223
 ismaeli, 410
 lineatus, 254
 masu, 410
 matapalensis, 410
Platysenta sutor, 454
Plecotus sp., 380, 456
 auritus, 174, 285, 380
 austriacus, 174, 380, 529
 begognae, 380
 kolombatovici, 380
 macrobullaris, 380
 sardus, 357, 380
Plesiaguti sp., 405
 totoi, 405
Plesiorycteropus sp., 39
Podarcis sp., 383
Populus sp., 362
 deltoides, 183
 tremuloides, 185, 195
Probole nyssaria, 454
Protolampra brunneicollis, 454
Prosopis pallida, 412
Prunus occidentalis, 209
Pseudaletia unipuncta, 454
Pseudolmedia spuria, 205
Pseudorthodes vecors, 454
Psychotria berteriana, 98
Pteronotus:
 parnelli, 108, 217, 483
 quadridens, 217
Pteropus sp., 261
 aldabrensis, 398
 giganteus, 265
 rodricensis, 261
 rufus, 44
 seychellensis, 398
 vampyrus, 70
Quararibea funebris, 221
Quercus sp., 306
 pyrenaica, 172
 robur, 364
 rotundifolia, 172
 suber, 172
Rana:
 cyanophlictis, 438
 tigerina, 438
Raphia farinifera, 311
Ravenala sp., 311
 madagascariensis, 311
Renia sp., 454
 fraternalis, 455
Rhinolophus sp., 67, 350
 acuminatus, 75
 affinis, 72
 amplexicaudatus, 74
 arcuatus, 84
 borneensis, 72, 75
 creaghi, 67, 75, 79
 euryale, 175
 euryotis, 24
 ferrumequinum, 175, 199, 286, 365, 527
 hipposideros, 175, 269, 365, 513, 529
 lepidus, 86
 mehelyi, 175
 pusillus, 67
 refulgens, 86
 sedulus, 92
 trifoliatus, 92
Rhogeessa:
 io, 409
 hussoni, 417
 minutilla, 417
 tumida, 417
Rinorea guatemalensis, 221
Rousettus sp., 39, 483
 aegyptiacus, 350, 483
 madagascariensis, 44
Roystonea regia, 206
Saccopteryx sp., 463
 bilineata, 410, 463
Sayornis phoebe, 453
Scoliocampa liburna, 455
Selinia kentaria, 454
Sideroxylon foetidissimum, 210
Sloanea dentata, 98
Solanum sp., 210, 257
 umbellatum, 210
Sorbus aucuparia, 364
Spathodea campanulata, 210
Sphingicampa bicolor, 455
Stenoderma sp., 204
Sturnira sp., 212, 223, 257
 lilium, 161, 222, 251, 410
 luisi, 410
 thomasi, 108, 423
 t. vulcanensis, 431
Symmerista albifrons, 455
Syzigium jambos, 206

- Tadarida* sp., 392
 brasiliensis, 97, 98, 218, 261, 431, 479
 b. antillarum, 103
 b. cynocephala, 106, 262
 b. mexicana, 262
 pusilla, 392
 teniotis, 171, 286, 350
Talipariti elatum, 210
Taphozous sp., 398
 mauritanus, 28, 398
Tessaria integrifolia, 411
Thyroptera discifera, 409
Trachops cirrhosus, 223
Trema micrantha, 210, 221
Triaenops sp., 39, 398
 auritus, 46
 furculus, 46
 goodmani, 46
 persicus, 46
 rufus, 46
Toxicodendron radicans, 184
Triplaris cumingiana, 410
Uroderma sp., 223
 bilobatum, 223, 410
Ursus arctos, 274
Vampyressa:
 pusilla, 254, 402, 410
 thyone, 223, 410
Vampyrops helleri, 410
Vampyrum spectrum, 409, 441
Vespertilio murinus, 503
Vismia sp., 255
Zale sp., 455
 lunata, 455
Zanclognatha, 455
Zanthoxylum americanum, 184